Journal of Computational Physics

Volume 100, 1992

ACADEMIC PRESS, INC.
Harcourt Brace Jovanovich, Publishers
San Diego New York Boston London Sydney Tokyo Toronto

Copyright © 1992 by Academic Press, Inc.
All Rights Reserved

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per copy fee through the Copyright Clearance Center, Inc. (27 Congress Street, Salem, Massachusetts 01970), for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Copy fees for pre-1992 articles are as shown on the article title pages; if no fee code appears on the title page, the copy fee is the same as for current articles.

0021-9991/92 $5.00

This journal is printed on acid-free paper.

Printed by Catherine Press, Ltd., Brugge, Belgium

Contents of Volume 100

Number 1, May 1992

1 **Particle-Method Solution of Two-Dimensional Convection–Diffusion Equations**
Aaron L. Fogelson

17 **An Algorithm for Calculating Intramolecular Angle-Dependent Forces on Vector Computers**
J. H. Dunn, S. G. Lambrakos, P. G. Moore, and M. Nagumo

25 **A Front-Tracking Method for Viscous, Incompressible, Multi-fluid Flows**
Salih Ozen Unverdi and Grétar Tryggvason

38 **Explicit Adaptive-Grid Radiation-Magnetohydrodynamics**
Osman Yasar and Gregory A. Moses

50 **A Boundary Element Solution for Two-Dimensional Viscous Sintering**
G. A. L. van de Vorst, R. M. M. Mattheij, and H. K. Kuiken

64 **Truncation Error Analysis of the Finite Volume Method for a Model Steady Convective Equation**
Yih Nen Jeng and Jiann Lin Chen

77 **Implicit Particle Simulation of Electromagnetic Plasma Phenomena**
T. Kamimura, E. Montalvo, D. C. Barnes, J. N. Leboeuf, and T. Tajima

91 **A High-Resolution Euler Solver Based on Multigrid, Semi-coarsening, and Defect Correction**
Wim A. Mulder

105 **Extrapolated Surface Charge Method for Capacity Calculation of Polygons and Polyhedra**
E. Goto, Y. Shi, and N. Yoshida

116 **A Direct Simulation Monte-Carlo Method for Cluster Coagulation**
Kurt Liffman

128 **An Arnoldi-Based Iterative Scheme for Nonsymmetric Matrix Pencils Arising in Finite Element Stability Problems**
Ramesh Natarajan

143 **Momentum Advection on a Staggered Mesh**
David J. Benson

163 **Variational Curve and Surface Grid Generation**
Stanly Steinberg and Patrick Roache

179 **Low-Order Polynomial Approximation of Propagators for the Time-Dependent Schrödinger Equation**
Hillel Tal-Ezer, Ronnie Kosloff, and Charles Cerjan

188 **Two-Dimensional Unsteady Solidification Problem Calculated by Using the Boundary-Fitted Coordinate System**
M. Saitou and A. Hirata

NOTES

197 **A Method for Detecting Vacancy Diffusion in Molecular Dynamics**
M. Manninen and H. Häkkinen

200 **A Fixed-Stencil Non-oscillatory Scheme for Hyperbolic Systems**
Dartzi Pan and S. C. Lee

205 ***ABSTRACTS OF PAPERS TO APPEAR IN FUTURE ISSUES***

Number 2, June 1992

209 **Computing Interface Motion in Compressible Gas Dynamics**
W. Mulder, S. Osher, and James A. Sethian

229 **A Microinstability Code for a Uniform Magnetized Plasma with an Arbitrary Distribution Function**
Y. Matsuda and Gary R. Smith

236 **The Rapid Evaluation of Volume Integrals of Potential Theory on General Regions**
Anita Mayo

246 **Use of Eigenfunctions in the Optimization of the Grid for the Boundary Element Method**
Ambar K. Mitra

253 **Stability Analysis of a Non-linear Diffusion-Type Kinetic Equation**
Henry Granek and Bruce H. J. McKellar

270 **Interactions of an Elastic Solid with a Viscous Fluid: Eigenmode Analysis**
R. M. S. M. Schulkes

284 **Iterative Schemes and Algorithms for Adaptive Grid Generation in One Dimension**
Prabir Daripa

294 **Numerical Evaluation of Spherical Bessel Transforms via Fast Fourier Transforms**
Omar A. Sharafeddin, H. Ferrel Bowen, Donald J. Kouri, and David K. Hoffman

297 **Numerical Solution of Eigenvalue Problems Using Spectral Techniques**
Y. Y. Su and B. Khomami

306 **A Numerical Study of a Rotationally Degenerate Hyperbolic System. Part I. The Riemann Problem**
Heinrich Freistühler and E. Bruce Pitman

322 **A Hybrid Spectral Method for the Three-Dimensional Numerical Modelling of Nonlinear Flows in Shallow Seas**
R. W. Lardner and Y. Song

335 **A Continuum Method for Modeling Surface Tension**
J. U. Brackbill, D. B. Kothe, and C. Zemach

355 **Multi-domain Chebyshev–Fourier Method for the Solution of the Equations of Motion of Dynamic Elasticity**
Ekkehart Tessmer, David Kessler, Dan Kosloff, and Alfred Behle

364 **Comparison of Coordinate-Space Techniques in Nuclear Mean-Field Calculations**
V. Blum, G. Lauritsch, J. A. Maruhn, and P.-G. Reinhard

377 **Approximate Solutions to the Zakharov Equations via Finite Differences**
R. T. Glassey

384 **A Numerical Method for Incompressible Viscous Flow Simulation**
Ramesh Natarajan

396 **Performance of the Conjugate Gradient Method on VICTOR**
Ramesh Natarajan and Pratap Pattnaik

402 **Upwind Monotonic Interpolation Methods for the Solution of the Time Dependent Radiative Transfer Equation**
James M. Stone and Dimitri Mihalas

409 **A Robust Elliptic Grid Generator**
Patrick M. Knupp

NOTES

419 **Solution of the Shallow Water Equations Using Hybrid Grids**
J. Steppeler

424 **A Numerical Method for Systems of Conservation Laws of Mixed Type Admitting Hyperbolic Flux Splitting**
Chi-Wang Shu

430 **Effect of Spatial Resolution on Apparent Sensitivity to Initial Conditions of a Decaying Flow as It Becomes Turbulent**
Robert G. Deissler and Frank B. Molls

433 ***ABSTRACTS OF PAPERS TO APPEAR IN FUTURE ISSUES***

436 ***AUTHOR INDEX FOR VOLUME 100***

Journal Mission

The mission of ***Journal of Computational Physics*** is to publish (i.e., to announce, to send forth, to put into circulation) material that will assist in the reliable and accurate computation of scientific problems, especially those in the physical and engineering sciences. To qualify for publication a paper needs to meet criteria of suitability, correctness, significance, and presentation. The mission of ***JCP*** is not to validate research and then to archive it in a form that improves the author's chances of tenure or promotion.

Suitability

Generally, a paper suitable for ***JCP*** will be concerned with the development or testing of algorithms for scientific computing. Hardware design will not usually be of interest, but issues of computer science are if they impact on the algorithms, e.g., efficient use of machine architecture. Papers having a largely mathematical content are acceptable provided they are clearly addressed to a practical objective, but if the interest resides largely in the technicalities of the proofs there are more suitable journals. Papers that employ standard algorithms in order to explore some specific application should normally be sent to a journal specializing in that application.

Correctness

Because scientific computing does not yet rest on rigorous mathematical foundations there will often be real doubt whether a given approach is actually "correct." Papers that are open to such doubts are quite acceptable provided they meet normal standards of scientific objectivity.

Significance

Research papers must contain some element of genuine novelty. However, unmotivated novelty is all too easy to achieve and will not be encouraged. Acceptable research papers will usually

- describe a method that can achieve some task not previously possible, or
- describe a method that improves substantially on either the accuracy or the efficiency of previous methods, or
- extend an established method to make it more widely applicable, or
- analyze an existing method to give greater insight or confidence in its use, or
- develop discrete models of some significant physical problem, or
- analyze the nature of some computational problem in a way that sheds light on how it may possibly be solved.

Lists like this cannot be exhaustive; the test to be applied to the exceptions is whether the paper would interest readers who are interested by the list.

Review papers should be of interest to the widest possible readership, and wherever possible should aim at providing a critical perspective.

Presentation

The odds are remote that any of your readers, or even your reviewers, will be working on precisely your problem. Even if they are, they probably have their own favorite method and will not immediately abandon it for yours. However, your readers do want to learn from your experiences, and will hope to find somewhere a clear statement of what there is to be learned. This will motivate them to master the details. Remember that readers of ***JCP*** come from many disciplines, and therefore try to avoid, or at least explain, specialized jargon. Any authors who have difficulty writing clear technical English may find it helpful to consult "The science of scientific writing" by G. D. Gopen and J. A. Swan in *American Scientist*, Vol. 78, No. 6, November–December, 1990. Even those who do not think they have a problem will probably gain insight from this excellent article. Also, the *Style Manual*, 1990, of the American Institute of Physics contains much useful advice. Symbols that are unusual or used infrequently must be identified in order to avoid misinterpretation and unnecessary proof corrections.

Illustrations are often an important part of a ***JCP*** paper. Unfortunately many graphics packages produce very poor illustrations for publishing purposes, either due to limitations in the software or lack of perseverence by the authors. Common faults include lines that are too faint, supposedly distinctive lines that are too similar, and labels and symbols that are too small. Some of these faults are not apparent until the material is reduced to final scale. Other faults include arbitrary and irrelevant labeling of contours and axes. Illustrations should not be produced incidentally in the course of the research, but should be the best visual method of making some important point.

Color is sometimes a valuable ingredient in the display of complex computations, but is very expensive to reproduce. If colored illustrations are submitted, the reviewers will be asked to say how important they are. Charges for the reproduction of color must be defrayed by the author.

Submission of manuscripts. Manuscripts should be submitted to:

Journal of Computational Physics
Editorial Office
Third Floor
1250 Sixth Avenue
San Diego, California 92101
Telephone: (619) 699-6467
Fax: (619) 699-6859

Only original papers will be considered. Manuscripts are accepted for review with the understanding that the same work has not been published, that it is not under consideration for publication elsewhere, and that its submission for publication has been approved by all of the authors and by the institution where the work was carried out; further, that any person cited as a source of personal communications has approved such citation. Written authorization may be required at the Editors' discretion. Articles and any other material published in the ***Journal of Computational Physics*** represent the opinions of the author(s) and should not be construed to reflect the opinions of the Editors and the Publisher.

Authors submitting a manuscript do so on the understanding that if it is accepted for publication, copyright in the article, including the right to reproduce the article in all forms and media, shall be assigned exclusively to the Publisher. The Publisher will not refuse any reasonable request by the author for permission to reproduce any of his or her contributions to the journal.

Authors may suggest a member of the Board of Editors to handle the review of their paper, and may also suggest the names of six suitable referees.

Form of manuscript. Manuscripts should be typewritten with wide margins on high quality 8.5 × 11-in. bond paper, using double spacing throughout. If larger paper must be used, the text must still be within these dimensions. Six copies should be submitted in order to expedite handling of manuscripts. The original of the manuscript and figures (including computer-generated data) need not be submitted until acceptance, as long as the copies are clear and reproducible. Figures and tables must be included in all copies.

Each page of the manuscript should be numbered consecutively. *Page 1* should contain the article title, author, and coauthor names with complete affiliation(s). At the bottom of this page should appear the subject classifications and key words (see below). *Page 2* should contain a proposed running head of less than 50 characters. It should also contain the name and complete mailing address of the person to whom proofs are to be sent. *Page 3* of full articles should contain a short abstract.

All submitted papers will be scrutinized for length, particularly if they exceed 12 journal pages in length (including graphs, tables, references, etc.) and if the author has published in the Journal within the previous year.

Notes. Short notes of 6 pages or less (including figures, tables, and references but excluding title pages) regarding the availability of interesting and useful new programs or tabular material will be considered for publication. Letters to the Editor commenting on articles already published in this Journal will also be considered. Neither notes nor letters should have an abstract.

Subject classification. Authors are required to classify their own manuscripts using the 1980 *Mathematics Subject Classification*, 1985 revision, reprinted in the 1987 *Mathematical Reviews Index* and/or from the additional classifications listed in the January 1989 issue of ***Journal of Computational Physics***. Authors are requested to choose at least two categories—one in numerical analysis category 65, and one other (generally a physical classification) from the categories beyond 65. Also include a few key words.

Tables. Number tables consecutively with Roman numerals. Extensive tables will be reproduced photographically and should be typed carefully in the **exact** format desired. Authors will be charged for any new photoreproductions necessitated by changes in proof. Use superscript lowercase *italic* letters for table footnotes, which should be typed immediately below the table. Type tables at least double-spaced, including titles and footnotes. Do not underline table titles; reserve underlining for text that is to be *italicized.*

Equations. Equations should be typewritten whenever possible and the number placed in parentheses at the right margin. Reference to equations should use the form "Eq. (3)" or simply "(3)." Superscripts and subscripts should be typed or handwritten clearly above and below the line, respectively. Use the exponent $^{1/2}$ whenever possible.

References. References should be cited in the text by a number in square brackets. Literature cited should appear on a separate page at the end of the article and should be styled and punctuated according to the standards of the American Physical Society and using standard abbreviations for journals (see *Chemical Abstracts Service Source Index*, 1989). For unpublished lectures of symposia, include title of paper, name of sponsoring society in full, and date. Abbreviation of DOE Laboratory report names should follow the style of *Nuclear Science Abstracts*. Give titles of unpublished reports with "(unpublished)" following the reference. See the following examples:

1. Z. Wang and B. E. Richards, High resolution schemes for steady flow computation, *J. Comput. Phys.* **97**, 53 (1991).
2. I. Gohberg, P. Lancaster, and L. Rodman, *Matrix Polynomials* (Academic Press, New York, 1982), p. 54.
3. R. Gross, M. Koyanagi, H. Seifert, and R. P. Huebener, Article title, in *Proceedings, 17th Int. Conf. on Low Temperature Physics, Karlsruhe, West Germany, 1984*, edited by U. Eckern *et al.* (North-Holland, Amsterdam, 1984), p. 431.

Footnotes. Footnotes in the text should be avoided if at all possible. If they must be used, identify by superscript numbers and type together on a separate page, double-spaced.

Figures. All illustrations are to be considered as figures. Number each graph or drawing in sequence with Arabic numerals. Supply a descriptive legend for each figure. Type legends double-spaced consecutively on a separate page. All figures should be planned to fit the proportions of the printed page ($7\frac{1}{8} \times 9$ inches). All illustrations should be in finished form suitable for reproduction and no larger than 8.5 × 11 inches. Lettering on drawings should be of professional quality or generated by *high-resolution* computer graphics and should be large enough (10–12 points) to take a reduction of 50 to 60%. Freehand, penciled, or typewritten lettering is not acceptable. Drawings should be made with the equivalent of black India ink on tracing linen, smooth-surface white paper, or Bristol board. Alternatively, *high-quality* computer graphics may be acceptable. *Symbols used to identify points within a graph should be large enough that they will be easily distinguishable after reduction.* Plot graphs on blue coordinate or white paper. Grid lines that are to reproduce must be shown in black. All drawings may be submitted as glossy prints. Identify each figure in a margin with the name of the journal, author's name, and figure numbers; avoid marking the backs of figures.

Proofs and Reprints

Proofs. Proofs will be sent to the author with a reprint order form. Authors will be charged for alterations in excess of 10% of the cost of composition.

Reprints. Fifty reprints without covers will be provided free of charge. Additional reprints may be purchased.